

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1516	raid and (spare fail\$2) and (control\$3 same (reset re-boot restart reboot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:15
L2	935	raid and (spare fail\$2) and (control\$3 same (reset re-boot restart reboot) same (network system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:15
L3	314	@ad<="20031208" and raid and (spare fail\$2) and (controller same (reset re-boot restart reboot) same (network system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:15
L4	116	@ad<="20031208" and raid and (spare fail\$2) and (controller with (reset re-boot restart reboot) with (network system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:16
L5	89	@ad<="20031208" and raid and (spare fail\$2) and (controller with (reset re-boot restart reboot) with (network system)) and (switch\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:17
L6	12	@ad<="20031208" and raid and ((spare fail\$2) with (storage adj (device disk component drive))) and (controller with (reset re-boot restart reboot) with (network system)) and (switch\$3 swap\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/02 09:18
S1	19981	((remov\$3 disconnect\$3 replac\$3 off out) near4 (erroneous fault\$3 defect\$3 unread\$4 damag\$3 flaw\$3 error\$3 bad)) same (switch bridge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 11:56

EAST Search History

S65	14	S61 and ((raid) and ((spare fail) same (address adj space)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 12:02
S66	10	S64 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 13:06
S67	4	("6982953" "6880101").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:40
S68	4	S67 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/25 13:42
S69	24	("5410730" "5724510" "5446897" "6021429" "5586269" "4677588" "5987524" "5980078" "5917808" "5845081" "5680113" "6012088").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 11:34
S70	86	raid and ((switch\$3) same (spare backup back-up (back adj up) extra) same ((in out initializ\$3 disabl\$3 extract\$3 implement\$3 insert\$3 remov\$3 connect\$3 disconnect\$3 replac\$3 to from) near3 (network system)) same (storage near2 (device disk drive)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 07:55
S71	56	S70 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:41

EAST Search History

S72	20	S71 and ((maximum limit\$3) near3 (address\$3 port\$2 device disk drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 11:52
S73	29	@ad<="20031208" and raid and ((switch\$3 signal) same (spare backup back-up (back adj up) extra) same (fail\$3 corrupt\$3 damag\$3 defect\$3) same ((in out initializ\$3 enabl\$3 disabl\$3 extract\$3 implement\$3 insert\$3 remov\$3 connect\$3 disconnect\$3 replac\$3 to from) near3 (network system)) same (storage near2 (device disk drive)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 08:00
S74	11	@ad<="20031208" and raid and ((switch\$3 signal) same (spare backup back-up (back adj up) extra) same (fail\$3 corrupt\$3 damag\$3 defect\$3) same ((in out initializ\$3 enabl\$3 disabl\$3 extract\$3 implement\$3 insert\$3 remov\$3 connect\$3 disconnect\$3 replac\$3 to from) near3 (network system)) same (storage near2 (device disk drive))) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:06
S75	53	@ad<="20031208" and raid and (((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) with (spare backup back-up (back adj up) extra)) same ((fail\$3 corrupt\$3 damag\$3 defect\$3) with (offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3))) and (network) and (storage near2 (device disk drive)) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:20
S76	52	S75 not S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:12

EAST Search History

S77	19	@ad<="20031208" and raid and (((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) near3 (spare backup back-up (back adj up) extra)) same ((fail\$3 corrupt\$3 damag\$3 defect\$3) near3 (offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3))) and (network) and (storage near2 (device disk drive)) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:10
S78	19	S77 not S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 11:15
S79	33	S76 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:41
S80	27	S79 and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 13:41
S81	213	@ad<="20031208" and raid and ((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) near5 (spare backup back-up (back adj up) extra)) and ((fail\$3 corrupt\$3 damag\$3 defect\$3) near5 (isolat\$3 sleep\$3 offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3)) and (switch\$3 swap\$4 replac\$3) and (network) and (storage near2 (device disk drive)) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:23

EAST Search History

S82	15	@ad<="20031208" and raid and (((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) near2 (spare backup back-up (back adj up) extra)) same ((fail\$3 corrupt\$3 damag\$3 defect\$3) near2 (isolat\$3 sleep\$3 offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3)) same (switch\$3 swap\$4 replac\$3)) and (network) and (storage near2 (device disk drive)) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:44
S83	0	S82 not (S80 S78)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:26
S84	15	S82 not S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:26
S85	0	S82 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:26
S86	44	@ad<="20031208" and raid and (((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) with (spare backup back-up (back adj up) extra)) same ((fail\$3 corrupt\$3 damag\$3 defect\$3) with (isolat\$3 sleep\$3 offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3)) same (switch\$3 swap\$4 replac\$3)) and (network) and (storage near2 (device disk drive)) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:31

EAST Search History

S87	27	S86 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:30
S88	6	@ad<="20031208" and raid and (((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) with (spare backup back-up (back adj up) extra)) same ((fail\$3 corrupt\$3 damag\$3 defect\$3) with (isolat\$3 sleep\$3 offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3)) same (switch\$3 swap\$4 replac\$3) same (storage near2 (device disk drive))) and (network) and (boot reset restart re-start)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 16:33
S89	5	S88 not S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:07
S90	15	raid and ((fail\$3 adj storage adj device) same (switch\$3 swap\$4 replac\$3) same (spare extra backup back-up)) and (boot restart reset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:09
S91	8	@ad<="20031208" and S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:12
S92	2	@ad<="20031208" and S90 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:47

EAST Search History

S93	27	@ad<="20031208" and raid and ((online on-line on in initializ\$3 enabl\$3 implement\$3 insert\$3 connect\$3) near6 (spare backup back-up (back adj up) extra)) and ((fail\$3 corrupt\$3 damag\$3 defect\$3) near6 (isolat\$3 sleep\$3 offline off-line off out disabl\$3 extract\$3 remov\$3 disconnect\$3 replac\$3)) and (switch\$3 swap\$4 replac\$3) and (network) and (storage near2 (device disk drive)) and (reboot with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:48
S94	22	@ad<="20031208" and raid and ((spare backup back-up (back adj up) extra) same (fail\$3 corrupt\$3 damag\$3 defect\$3) same (switch\$3 swap\$4 replac\$3)) and (network) and (storage near2 (device disk drive)) and ((reset restart reboot) with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 17:50
S95	199	raid and ((switch\$3 swap\$4) same spare same fail\$3 same (device disk component drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:06
S96	136	S95 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:06
S97	122	raid and ((switch\$3 swap\$4) with spare with fail\$3 with (device disk component drive))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:06
S98	86	S97 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:07

EAST Search History

S99	27	S98 and (storage near2 (device disk drive component)) and (re-boot reboot reset restart)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 08:08
S10 0	0	raid and ((re-boot reboot reset restart) near2 network) and (((hot adj swap\$4) (hot adj spar\$3)) same (address with ((spare extra) near2 (device component drive disk))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 10:49
S10 1	0	raid and ((re-boot reboot reset restart) near2 network) and ((hot adj swap\$4) (hot adj spar\$3)) and ((address with ((spare extra) near2 (device component drive disk))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 10:50
S10 2	0	raid and ((re-boot reboot reset restart) near2 network) and ((hot adj swap\$4) (hot adj spar\$3)) and ((address same ((spare extra) near2 (device component drive disk))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 11:16
S10 3	61	raid and ((re-boot reboot reset restart) near2 network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 10:51
S10 4	31	S103 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 10:51
S10 5	12	raid and ((hot adj swap\$4) (hot adj spar\$3)) same ((address same ((spare extra) near2 (device component drive disk))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 11:17

EAST Search History

S10 6	10	S105 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 13:34
S10 7	52	@ad<="20031208" and ((hot adj swap\$4) (hot spar\$3)) and (controller with (reset re-boot reboot restart) with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 13:38
S10 8	13	S107 and (raid scsi (fibre adj channel)) and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 13:56
S10 9	39	S107 not S108	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 14:25
S11 0	2	raid and (controller with ((reset re-boot reboot restart) near2 network)) and ((available unallocat\$3 unassign\$3 maximum allocat\$3 assign\$3 limit\$3 finite) with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 14:31
S11 1	2	raid and (controller with ((reset re-boot reboot restart) near2 network)) and ((usable number amount available unallocat\$3 unassign\$3 maximum allocat\$3 assign\$3 limit\$3 finite) with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:18
S11 2	5808	raid and ((usable number amount available unallocat\$3 unassign\$3 maximum allocat\$3 assign\$3 limit\$3 finite) with address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 14:38

EAST Search History

S11 3	1790	S112 and (spare fail\$3) same (storage with (device component drive disk))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 14:51
S11 4	1130	S113 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 14:56
S11 5	2	S114 and (controller same ((re-boot reset restart reboot) near2 network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 15:00
S11 6	207	S114 and ((hot adj spar\$3) (hot adj swap\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 15:00
S11 7	22	S116 and (controller same ((re-boot reset restart reboot) same network))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 15:00
S11 8	25	raid and (controller with (reset re-boot reboot restart) with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:17
S11 9	15	S118 and @ad<="20031208"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:26

EAST Search History

S12 0	6	("6470382" "5802391" "5526507"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/01 16:31
----------	---	---	--	----	----	------------------